



AMC Price List
DESCRIPTION



01 March 2019

MODEL

**RETAIL
EXCL VAT**

EN54 Speakers

EVACW5	Surface mounting voice evacuation loudspeaker with 5" loudspeaker & 100V line transformer, thermal fuse and ceramic terminal, 100V/ 6W-4W-2W-1W-0.5W-0.25W, 150-20,000Hz, White papyrus color	1 350,00
MC4EN	Metal 4" loudspeaker with metal grill, quick fit mount and built-in line transformer, 100V 6W-3W, 110-15,000 Hz, White color (RAL 9016)	750,00
EVAC5EN	EN 54-24 ceiling 5" loudspeaker with fire dome. Power: 6W, Transformer power taps: 100V/6W-3W-1.5W-0.75W-0.25W, 180-17,500 Hz, 87 dB (1 W/1 m), Dimensions: 19 x 9,4 cm. Steel frame	1 700,00
SP10EN	EN 54-24 5" sound projector. Power: 10 W, Transformer power taps: 100V/10W-5W-2.5W-1.25W, Frequency response: 120-18,000 Hz, Sensitivity: 90 dB (1 W/1 m), Dimensions: 13,8x20,4 cm.	2 900,00
HQ10EN	EN 54-24 horn loudspeaker. Power: 10 W, Transformer power taps: 100V/10W-5W-2.5W-1.25W, Frequency response: 340-16,000 Hz, Sensitivity: 105 dB (1 W/1 m), Dimensions: 17x13x23 cm. Material: Plastic housing with stainless steel bracket & hardware. Colour: RAL 9016	2 900,00

Horn loudspeakers

HQ10	Weatherproof plastic horn loudspeaker with built-in line transformer, IP65, 100V/10W-7,5W-5W-3W, 400-10,000Hz, white color (RAL9018)	1 100,00
HQ15	Weatherproof horn loudspeaker with built-in line transformer, IP66, 100V/15W-7,5W, 400-5,000Hz, white color (RAL9018)	1 200,00
HQ30	Weatherproof horn loudspeaker with built-in line transformer, IP66 , 100V/30W-15W, 400-6,000Hz, white color (RAL9018)	1 850,00
MH50	Music quality weatherproof 2-way horn loudspeaker with built-in line transformer, 50W/8Ω, IP55, 100V/ 50W-25W-12,5W-8Ω, 90-20,000Hz, Cold Grey color (RAL 7035)	5 200,00





AMC Price List
DESCRIPTION



01 March 2019

MODEL

**RETAIL
EXCL VAT**

Ceiling loudspeakers

PC3	Plastic coaxial 3" loudspeaker with backbox mount and built-in line transformer, 100V 6W-3W, 150-20,000Hz, White color (RAL 9016)	420,00
PC3WP	Plastic coaxial 3" loudspeaker with backbox mount and built-in line transformer, 100V 6W-3W, 1.5W, 150-20,000Hz, White color (RAL 9016), IP54 rated	450,00
PC6T	Plastic dual cone 6" loudspeaker with metal grill, quick fit mount and built-in line transformer, 100V 6W-3W, 100-15,000Hz, White color (RAL 9016)	500,00
PC8T	Plastic coaxial 8" loudspeaker with metal grill, quick fit and built-in line transformer, 100V/20W-10W-5W-2.5W, 80-20,000Hz, White color (RAL 9016)	850,00
MC6T	Metal 6" loudspeaker with metal grill, quick fit mount and built-in line transformer, 100V 6W-3W, 100-18,000Hz, White color (RAL 9016)	440,00
PCR5T	Rimless plastic ceiling loudspeaker, 5" woofer and 0.5" tweeter, 25 W (16Ω) power, 15W/7.5W/3.75W, 80-20,000 Hz, 89 dB (1W/1m). Dimensions 200 mm x 70 mm, plastic, steel grill, white colour	950,00
PCR8T	Rimless plastic ceiling loudspeaker, 8" woofer and 0.5" tweeter, 35 W (16Ω) power, 25W/12.5W/6.25W, 60-20,000 Hz, 90 dB (1W/1m). Dimensions 250 mm x 95 mm, plastic, steel grill, white colour	1 250,00



Cabinet loudspeakers

VIVA4W	Wall mount 2-way loudspeaker, 4" Woofer and 1" tweeter, wall mount bracket included, 20W/8Ω, 100V/20W-10W-5W-2,5W-8Ω, 90-20,000Hz, White color (RAL 9016)	1 700,00
VIVA4B	Wall mount 2-way loudspeaker, 4" Woofer and 1" tweeter, wall mount bracket included, 20W/8Ω, 100V/20W-10W-5W-2,5W-8Ω, 90-20,000Hz, Black color (RAL 9017)	1 700,00
VIVA4IPB	Wall mount 2-way loudspeaker, IP 55 protection, 4" Woofer and 1" tweeter, wall mount bracket included, 20W/8Ω, 100V/20W-10W-5W-2,5W-8Ω, 90-20,000Hz, Black color	2 350,00
VIVA4IPW	Wall mount 2-way loudspeaker, IP 55 protection, 4" Woofer and 1" tweeter, wall mount bracket included, 20W/8Ω, 100V/20W-10W-5W-2,5W-8Ω, 90-20,000Hz, Black color	2 350,00
VIVA5W	Wall mount 2-way loudspeaker, 5" Woofer and 1" tweeter, wall mount bracket included, 30W/8Ω, 100V/25W-15W-10W-5W-8Ω, 80-20,000Hz, White color (RAL 9016)	2 000,00
VIVA5B	Wall mounting 2-way loudspeaker, 5" Woofer and 1" tweeter, wall mount bracket included, 30W/8Ω, 100V/25W-15W-10W-5W-8Ω, 80-20,000Hz, Black color (RAL 9017)	2 000,00





AMC Price List



01 March 2019

MODEL	DESCRIPTION	RETAIL EXCL VAT
Powered cabinet loudspeakers		
POWERBOX 5W	Powered stereo speaker system, 5.25" woofer and 1" tweeter, wall mount bracket included. System consists of one active loudspeaker with built-in stereo amplifier and one passive speaker. Rated power 2x20W , 80-20.000Hz. White color (RAL 9016)	5 000,00
POWERBOX 5B	Powered stereo speaker system, 5.25" woofer and 1" tweeter, wall mount bracket included. System consists of one active loudspeaker with built-in stereo amplifier and one passive. Rated power 2x20W , 80-20,000Hz, Black color (RAL 9017)	5 000,00
POWERBOX 5HPW	Powered stereo speaker system with IR remote control, 5" woofer and 1" tweeter, wall mount bracket included. System consists of one active loudspeaker with built-in stereo amplifier and one passive speaker. Rated power 2x20W , 115-20.000Hz. White color (RAL 9003)	7 100,00
Spherical loudspeakers		
SL20MW	Spherical 2-way loudspeaker with 6" woofer and 1" tweeter , built-in line transformer, 100V/20W-10W-5W, 180-20,000Hz, White color (RAL 9016)	2 400,00
SL20MB	Spherical 2-way loudspeaker with 6" woofer and 1" tweeter , built-in line transformer, 100V/20W-10W-5W, 180-20,000Hz, Black color (RAL 9017)	2 400,00
SL30W	Spherical coaxial loudspeaker with 6.5" woofer and 1" tweeter , built-in line transformer, 100V/30W-15W-7.5W-3.75W, 100-20,000Hz, White color RAL9016	3 100,00
SL30B	Spherical coaxial loudspeaker with 6.5" woofer and 1" tweeter , built-in line transformer, 100V/30W-15W-7.5W-3.75W, 100-20,000Hz, Black color RAL9017	3 100,00
Sound projectors		
SP10W	High quality ABS sound projector with built-in line transformer, IP55, 100V/10W-5W-2.5W, 130-15,000Hz, White color (RAL 9016)	1 400,00
SP10B	High quality ABS sound projector with built-in line transformer, IP55, 100V/10W-5W-2.5W, 130-15,000Hz, Black color (RAL 9017)	1 400,00
SPM20	Aluminum sound projector with built-in line transformer, IP55, 100V/20W-10W-5W, 130-15,000Hz, White papyrus color (RAL9018)	2 100,00
SPM 20HP	High performance aluminum sound projector with built-in line transformer, IP66 100V/20W-10W-5W-8Ω, 130-20,000KHz, White color (RAL9016)	4 300,00





AMC Price List
DESCRIPTION



01 March 2019

MODEL

**RETAIL
EXCL VAT**

Volume controls

VC30RX	Volume control with 24V emergency relay and internal switch for active or passive mode selection. 100V/ 30W, 10 steps + OFF	500,00
VC60RX	Volume control with 24V emergency relay and internal switch for active or passive mode selection. 100V/ 60W, 10 steps + OFF	650,00
iBox	In wall box for VC30RX and VC60RX volume controllers	85,00

