

MODEL

**BARIX**

**Barix Price List**

DESCRIPTION



RETAIL  
EXCL VAT

01 April 2019

**AUDIO PRODUCTS**

**AudioPoint**

AudioPoint 3.0	The AudioPoint 3.0 encodes analog audio and streams it with lowest latency to a free to download iOS or Android app.	TBA
----------------	--	-----

**Instreamer / Exstreamer**

Instreamer	The Instreamer encodes analog audio sources in real time in a configurable format (MP3, PCM, G.711,G.722) & streams via TCP, UDP, Shoutcast, Multicast RTP format to configurable destinations.	10 200,00
Exstreamer 100	IP audio decoder & player with USB port, Stereo RCA out, RS232 port & front panel 3.5mm headphone jack. Requires 9-30V DC or 12-24V AC power supply.	5 250,00
Exstreamer 105	IP audio decoder & player with micro SD slot, Stereo RCA out, RS232 port & front panel 3.5mm headphone jack. Requires 9-30V DC or 12-24V AC power supply.	6 500,00
Exstreamer 110	IP audio decoder & player with LCD display, USB port, Stereo RCA out, RS232 port & front panel 3.5mm headphone jack. Requires 9-30V DC or 12-24V AC power supply.	6 700,00
Exstreamer 120	IP audio decoder & player with LCD display, micro SD slot, Stereo RCA out, RS232 port & front panel 3.5mm headphone jack. Requires 9-30V DC or 12-24V AC power supply.	7 200,00
Exstreamer P5	Universal, Multiformat IP Audio Decoder with Amplifier, PoE powered	6 950,00
Exstreamer 200	IP Audio decoder with S/PDIF and 2x25W amplified output, USB/microSD. Support of Internet Radio (AACplus, MP3, shoutcast, TCP streaming) VoIP (SIP, RTP) codecs & protocols. Requires 24V DC power.	11 250,00
Exstreamer 205	IP Audio decoder with S/PDIF and 2x25W amplified output, USB/microSD. Support of Internet Radio (AACplus, MP3, shoutcast, TCP streaming) and VoIP (SIP, RTP) codecs and protocols. Local line input. Requires 24V DC power supply.	11 250,00
Exstreamer 500	Professional Multiprotocol IP Audio de-/encoder with I/O, balanced audio. Support of Internet Radio and VoIP (SIP, RTP) codecs and protocols make the products the ideal choice for broadcast, professional and VoIP applications. Requires 24-48V DC power supply.	16 800,00
Exstreamer Soundscape	Managed IP network audio decoder with microSD storage, display and keypad incl. 8 GB MicroSD card, requires 5 V DC USB power supply.	7 800,00
Exstreamer Store&Play	IP audio decoder & player with 8Gb micro SD card, USB port, Stereo RCA out, RS232 port & front panel 3.5mm headphone jack. Requires 5V DC USB power supply.	7 200,00



MODEL

**BARIX**

**Barix Price List**

DESCRIPTION



RETAIL  
EXCL VAT

**01 April 2019**

**Annunicom**

Annunicom 60	IP Paging and Intercom codec device with mic/speaker connection and balanced audio output, PoE powered. 5W output power into 8 Ohm and contact closure input.	<b>7 900,00</b>
Annunicom 100	Professional IP Paging and Intercom codec device for security applications. Balanced Audio interfaces, contact closure input supervision, redundant power and network connections, switchable microphone input.	<b>10 600,00</b>
Annunicom 155	IP Paging and Intercom codec device for demanding environments and security applications. Dual Ethernet, supervised mic/speaker and IO, wide operating range and vibration/shock proof, IP65 rated. Requires 24-48V DC power supply.	<b>21 350,00</b>
Annunicom 200	IP Paging and Intercom codec device with mic/speaker and line level interfaces. 8W output power into 8 Ohm and contact closure inputs, relay output. POE or external power supply.	<b>11 200,00</b>
Annunicom 200 - RAVA	Annunicom 200-RAVA (no power supply included) integration of Rava-enabled Crestron touch screens	<b>11 200,00</b>
Annunicom 200 PSU	24V DC 18W Universal PSU	<b>778,00</b>
Annunicom 1000	Professional IP Paging and Intercom codec device for security applications. Balanced Audio interfaces, contact closure input supervision, redundant power and network connections, switchable microphone input. Requires 24-48V DC power supply.	<b>26 700,00</b>
Paging Station PS1	Desktop IP Paging and Intercom Station with built-in speaker and microphone, PoE powered	<b>16 000,00</b>
PS1 Mic Kit	Gooseneck microphone with bracket and mini jack Annunicom PS1 only	<b>6 800,00</b>
Paging Station PS16	Network Paging station with 16 keys	<b>64 500,00</b>
PS 16 Keypad	Keypad Extension for PS16 with 48 keys	<b>32 100,00</b>



# MODEL **BARIX**

## Barix Price List DESCRIPTION



01 April 2019

RETAIL  
EXCL VAT

### CONTROL PRODUCTS

#### Barionet

Barionet 50	Universal, programmable I/O device server with web server, Modbus/TCP and SNMP support. 2 x Serial ports, 4 x digital Inputs, 4 x relay Outputs and Dallas 1-wire support. Requires 9-30V power supply	5 100,00
Barionet 100	Universal, programmable I/O device server with web server, Modbus/TCP and SNMP support. 2 x Serial ports,	8 200,00
Barionet R6	In/Out extension device with 6 relays, Modbus/RTU via RS485 serial port	4 000,00
Barionet TS	Dallas 1-Wire Temperature Sensor	350,00
Barionet X8	8 Channel in/out extension device, Modbus/RTU via RS485 serial port	2 050,00
Barionet IO12	Input/Output Module - 12 Channel Dinrail Mount, Modbus/RTU via RS485 serial port	5 500,00
<b><u>Accessories</u></b>		
IR Remote	Remote Control Kit for Exstreamers	950,00
Cable Set XLR	Cable set for Exstreamer 500 only	1 600,00
19" Rack Mount	To mount Barix audio devices into a standard 19" rack	4 000,00
Cable Set Audio	Audio Cable Set	350,00
VSC HiFi2	Volume Source Control HiFi2 by Leviton	7 000,00
155 Acc Kit	Accessory Kit for Annunicom 155 only	5 100,00
ICGraph	Java based customizable GUI Interface for paging, intercom and BGM applications.	Free of Charge

